



# CHEESE MELTER

CONTACT US:

**Customer Service:**  
+1 (786) 5847439

**Sales Team:**  
+1 (786) 8602528

**Email:**  
sales@lfsusa.store

[www.lfsusa.store](http://www.lfsusa.store)



# Migali®

## COMPETITOR SERIES®

PROJECT: \_\_\_\_\_

LOCATION: \_\_\_\_\_

ITEM#: \_\_\_\_\_

QUANTITY: \_\_\_\_\_



### C-CM-36-LP/NG

## CHEESE MELTER

- Stainless steel exterior and interior
- Dual valve controls for left and right-side independent operation
- Two (2) 21,500 BTU high efficiency ceramic infrared burners and standby pilots – totals 43,000 BTU's
- Removable broiler rack and crumb catcher
- Range mount kit available to fit 36" wide range
- Manual ignition of burners
- Natural gas or liquid propane configuration
- Migali Industries® Protection Plan: 2 Years Parts & Labor Warranty

MODEL	BURNERS	GAS SPECS	IN TAKE TUBE PRESSURE (IN W.C.)	BTU PER BURNER	TOTAL BTU	NOZZLE NO.	CONTROL METHOD	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CM36-NG	2	NG	5	21,500	43,000	NG47	Independent Manual Control	36" x 18" x 17.3"	31.5" x 15.5" x 8.3"	40" x 24.6" x 25.4"	95 lbs.	120 lbs.
C-CM36-LP	2	LP	10	21,500	43,000	LP54	Independent Manual Control	36" x 18" x 17.3"	31.5" x 15.5" x 8.3"	40" x 24.6" x 25.4"	95 lbs.	120 lbs.

\*MIGALI RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292  
WEB: [www.migali.com](http://www.migali.com)




Conforms to ANSI STD. Z39.1  
11a-2009/2011, NSF/ANSI STD. 4  
& CSA STD. 1-0b-2009/2011



# DIMENSIONAL DRAWINGS

## C-CM-36-NG/LP



**Migali**<sup>®</sup>

MIGALI<sup>®</sup> REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955