

RANGES WITH GRIDDLES (NATURAL GAS)

LIQUID PROPANE / NATURAL GAS



TABLE OF CONTENTS

3

DESCRIPTION AND
SPECIFICATIONS

4

DIMENSIONAL
DRAWINGS

5

CONTACT US



COMPETITOR SERIES®


C-RO-36-NG
C-RO2-24GL-NG
C-RO4-12GL-NG
C-RO4-24GL-NG
C-RO6-24GL-NG

RANGES WITH GRIDDLES (NATURAL GAS)

- High polished, stainless steel exterior
- 25,000 BTU/H rating per burner
- Heavy duty cast iron removable trivets
- Porcelain enamel over steel oven interior
- 3/4" thick polished steel griddle cooking surface for quick, even heating
- Beautiful ergonomic design and easy to clean
- Chrome temperature knobs & oven handle
- Adjustable temperature oven knobs
- Standard with 6" casters (2x locking)
- Adjustable oven shelf
- Safety pilot oven shut-off, high limit switch
- Manual ignition of burners
- Valve type: Pilot lit, continuously on
- All burners and gas tubing are constructed of stainless steel
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

MODEL	BURNERS	TOTAL BTU	BTU PER BURNER	OVEN BTU/H	GRIDDLE BTU/H	IN TAKE TUBE PRESSURE (W.C.)	NOZZLE NO. NATURAL GAS	GRIDDLE WORK SURFACE W X D	BURNER WORK SURFACE W X D	NO. OF OVENS & INTERIOR DIMENSIONS W X D X H	EXTERIOR DIMENSIONS W X D X H"	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-RO-36G-NG	0	102,000	N/A	27,000	(2) U-Shape - 27,000 (1) I-Shape - 21,000	5	(1) Oven - NG39 (2) Griddle U-Shape NG42 (1) Griddle I-Shape - NG45	36 x 20.6 Full Length	N/A	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	487 lbs.	615 lbs.
C-RO2-24GL-NG	2	125,000	25,000	27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(2) Hotplate - NG45 (1) Oven - NG39 (1) Griddle U-Shape - NG42 (1) Griddle I-Shape - NG45	24 x 20.6 Left Side	11.8 x 11.8	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	463 lbs.	600 lbs.
C-RO4-12GL-NG	4	148,000	25,000	27,000	(1) I-Shape - 21,000	5	(4) Hotplate - NG45 (1) Oven - NG39 (1) Griddle I Shape - NG45	12 x 20.6 Left Side	11.8 x 11.8	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	437 lbs.	583 lbs.
C-RO4-24GL-NG	4a	196,000	25,000	(2) Ovens / Each - 24,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(4) Hotplate - NG45 (2) Oven - NG44 (1) Griddle U Shape - NG42 (1) Griddle I shape - NG45	24 x 20.6 Left Side	11.8 x 11.8	(2) Ovens 20 x 26 x 14	48 x 32.6 x 56.4	51.2 x 41.9 x 41.3	591 lbs.	803 lbs.
C-RO6-24GL-NG	6	252,000	25,000	(2) Ovens / Each - 27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(6) Hotplate - NG45 (2) Oven - NG39 (1) Griddle U Shape - NG42 (1) Griddle I shape - NG45	24 x 20.6 Left Side	11.8 x 11.8	(2) Ovens 26.5 x 26 x 14	60 x 32.6 x 56.4	63.2 x 41.9 x 41.3	734 lbs.	927 lbs.

*Total height with stainless steel back splash and top shelf

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



WEB: www.lfsusa.store
Customer Service: +1 (786) 5847439



DIMENSIONAL DRAWINGS


C-RO-36-NG

C-RO2-24GL-NG

C-RO4-12GL-NG

C-RO4-24GL-NG

C-RO6-24GL-NG



www.lfsusa.store

SIDE VIEW



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



LUXECHEF, FOOD & SERVICE

CONTACT US:

Customer Service:
+1 (786) 5847439

Sales Team:
+1 (786) 8602528

Email:
sales@lfsusa.store

www.lfsusa.store