




# SHOWCASE REFRIGERATOR COLLECTION

LFSUSA.STORE

NEW ARRIVAL

# SHOWCASE REFRIGERATOR WITH DRAWERS



- Improved air cooling system ensuring effective air circulation
- Equipped with both baked castors and adjustable feet
- Automatic vaporizing the defrost water through the heat of discharge pipe of compressor
- Hang type ventilation grill, easy to remove for regular maintenance
- Patented semi frequency conversion technique, using electronic expansion valve with own control system, could adjust the parameter to reach to the optimal working performance automatically and save 30% energy consumption




Heating tempered glass, anti-condensation, energy saving and better visual effect



High quality imported compressor, energy saving, lower noise, and longer lifetime



Smart precise digital controller with large LCD display




Automatic defrost ensures the evaporator working to its optimum performance. Automatic vaporizing the defrosted water

## TECHNICAL DATA



| Model                          | MM860V   | MM880V |
|--------------------------------|----------|--------|
| Temp Range                     | 2°C~ 8°C |        |
| Capacity(L)                    | 380      | 500    |
| Rating Power                   | 1586     | 1876   |
| Climate Class                  | 4/5/7    |        |
| <b>External Dimension (mm)</b> |          |        |
| Width                          | 1800     | 2400   |
| Depth                          | 790      |        |
| Height                         | 1200     |        |
| <b>Packing Size (mm)</b>       |          |        |
| Width                          | 1885     | 2485   |
| Depth                          | 875      |        |
| Height                         | 1330     |        |
| Qty of Drawer                  | 6        | 8      |
| <b>Weight (kgs)</b>            |          |        |
| Net Weight                     | 378      | 473    |
| Gross Weight                   | 430      | 535    |
| <b>Refrigerant</b>             |          |        |
| Type                           | R404a    | R404a  |
| <b>Shipping</b>                |          |        |
| Qty/20GP                       | 6        | 4      |
| Qty/40HQ                       | 26       | 16     |



NEW ARRIVAL



# SALAD SHOWCASE REFRIGERATOR

- Improved air cooling system ensuring effective air circulation
- Equipped with both baked castors and adjustable feet
- Automatic vaporizing the defrost water through the heat of discharge pipe of compressor
- Hang type ventilation grill, easy to remove for regular maintenance
- Patented semi frequency conversion technique, using electronic expansion valve with own control system, could adjust the parameter to reach to the optimal working performance automatically and save 30% energy consumption

COLOUR

MARBLE

BLACK  WHITE

STAINLESS STEEL

PRIMARY SS  BLACK SS  WINE RED GOLD



With both 1/1 GN pans and glass shelves for food staff



High quality imported compressor and fan motor, energy saving, lower noise, and longer lifetime



Smart precise digital controller with large LCD display



1D heating glass, anti-condensation, energy saving and better visual effect




Automatic defrost ensures the evaporator working to its optimum performance. Automatic vaporizing the defrosted water

## TECHNICAL DATA



| Model                          | DSS0830           | DSS0840 | DSS0850 | DSS0860 |
|--------------------------------|-------------------|---------|---------|---------|
| Temp Range                     | 2°C~ 8°C          |         |         |         |
| Capacity                       | 415               | 560     | 705     | 850     |
| Rating Power                   | 720               | 953     | 963     | 1158    |
| Climate Class                  | 4/5/7             |         |         |         |
| <b>External Dimension (mm)</b> |                   |         |         |         |
| Width                          | 900               | 1200    | 1500    | 1800    |
| Depth                          | 830               |         |         |         |
| Height                         | 1350              |         |         |         |
| <b>Packing Size (mm)</b>       |                   |         |         |         |
| Width                          | 985               | 1285    | 1585    | 1885    |
| Depth                          | 915               |         |         |         |
| Height                         | 1500              |         |         |         |
| <b>Weight (kgs)</b>            |                   |         |         |         |
| Net Weight                     | 210               | 257     | 297     | 338     |
| Gross Weight                   | 242               | 295     | 342     | 389     |
| Door Opening Direction         | Back sliding door |         |         |         |
| <b>Refrigerant</b>             |                   |         |         |         |
| Type                           | R290              |         |         |         |
| <b>Shipping</b>                |                   |         |         |         |
| Qty/20GP                       | 12                | 10      | 7       | 6       |
| Qty/40HQ                       | 24                | 21      | 14      | 12      |

OPTIONAL REFRIGERANT : R134A





NEW ARRIVAL

# OPEN FRONT SHOWCASE



- Improved air cooling system ensuring effective air circulation
- Equipped with baked castors
- Automatic defrost function ensuring the evaporator working perfectly
- Automatic vaporizing the defrost water through the heat of discharge pipe of compressor



## TECHNICAL DATA



| Model                          | NSC720A       | NSC730A | NSC740A |
|--------------------------------|---------------|---------|---------|
| Temp Range                     | 0°C~ 5°C      |         |         |
| Capacity(L)                    | 152           | 236     | 317     |
| Rating Power (W)               | 550           | 700     | 1080    |
| Climate Class                  | 3             |         |         |
| <b>External Dimension (mm)</b> |               |         |         |
| Width                          | 610           | 890     | 1210    |
| Depth                          | 660           |         |         |
| Height                         | 1350          |         |         |
| <b>Packing Size (mm)</b>       |               |         |         |
| Width                          | 670           | 950     | 1270    |
| Depth                          | 790           |         |         |
| Height                         | 1500          |         |         |
| <b>Weight (kgs)</b>            |               |         |         |
| Net Weight                     | 120           | 173     | 218     |
| Gross Weight                   | 143           | 202     | 253     |
| Door Opening Direction         | Front curtain |         |         |
| <b>Refrigerant</b>             |               |         |         |
| Type                           | R290          |         |         |
| <b>Shipping</b>                |               |         |         |
| Qty/20GP                       | 23            | 14      | 11      |
| Qty/40HQ                       | 49            | 30      | 24      |



Smart precise digital controller, mobile sensor for options




Low-E side glass to prevent condensation




EC fans and high efficient cooling system for energy saving




Removable bottom front panel, easy to take apart for condenser cleaning. Various painted colors match different color request



Smart water tray with heating control system



Pulling type compressor deck, easy for maintenance



**Hotel  
Restaurant  
Catering Equipment**



## **CONTACT US:**

**Customer Service**

**+1(786) 5847439**

**Sales team:**

**+1(786) 8602528**

**WEB SITE:**

**[www.lfsusa.store](http://www.lfsusa.store)**

**Email:**

**[sales@lfsusa.store](mailto:sales@lfsusa.store)**

**WHOLESALE- SWF-2  
LFSUSA.STORE**