

PIZZA OVENS

CONVEYOR OVENS





Speedino
By Migali

PROJECT: _____
LOCATION: _____
ITEM#: _____
QUANTITY: _____

MSP-3848



**HIGH
PRODUCTION,
SMALL FOOTPRINT**

**Cooks 95 x 12" Pizzas
per hour @4 minutes
bake time***

*Bake time will vary
depending on
ingredients.

CONVEYOR PIZZA OVEN

- Patented innovative balanced air flow system.
- Fast cooking times and highly efficient.
- Extremely quiet operation.
- Compact design, small footprint.
- Made in USA.
- Can be used in single stack or double stack configurations.
- Digital microprocessor controlled bake time and temperature setting.
- Removable crumb trays for easy cleaning.
- Conveyors can run either right-to-left or left-to-right.
- Quality 304 stainless steel construction on major parts.
- Front access to controls.
- Migali Industries® Protection Plan: 5 Year Parts and Labor.

MODEL	BAKING TEMPERATURE	BAKING TIME	RATED HEAT INPUT- NG	RATED HEAT INPUT- LP	SUPPLY INLET PRESSURE	REGULATED PRESSURE	3/4"NPT	PLUG TYPE	VOLTS	AMPS	CORD LENGTH	OVEN DIMENSIONS H X W X D	OVEN WEIGHT	BAKING CHAMBER OPENING H X W X D	BAKING AREA	PACKAGED DIMENSIONS H X W X D	PACKAGED WEIGHT
MSP-3848	300-600°F	2-14 mins	180,085 BTU	180,085 BTU	10-14" WC	9.17" WC	3/4" NPT	NEMA 5-15P	120/60/1	16	6 FT	42.7" x 78.9" x 47.4"	775 LBS	3" x 39" x 48"	13 sq/ft	55" x 55" x 47.5"	990 LBS

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY



Customer Service: +1 (786) 5847439
Sales Team: +1 (786) 8602528 **WEB:** www.lfsusa.store



Confirms to ANSI Z39.49
100-000 (2011) 100-000 (2011)
& CSA STD 1.4 (2008/2011)



TABLE OF CONTENTS

2

DESCRIPTION AND
SPECIFICATIONS

3

DIMENSIONAL
DRAWINGS



4

CONTACT US:




DIMENSIONAL DRAWINGS


MSP-3848 (Double Stacked)



MSP-3848 (Single Stacked)



ELECTRICAL
INLET AT
THE REAR
3/4" BSP MALE GAS
INLET AT THE REAR



www.lfsusa.store



Migali



LUXECHEF, FOOD & SERVICE

CONTACT US:

Customer Service:
+1 (786) 5847439

Sales Team:
+1 (786) 8602528

Email:
sales@lfsusa.store

www.lfsusa.store