

GLASS DOOR MERCHANDISER REFRIGERATORS

HINGED GLASS DOOR REFRIGERATORS




TABLE OF CONTENTS

3

DESCRIPTION AND
SPECIFICATIONS
C-10RM-HC / C-12RM-HC

4

DIMENSIONAL
DRAWINGS

5

DESCRIPTION AND
SPECIFICATIONS
C-23RM-HC / C-49RM-HC /
C-72RM-HC

6

CONTACT US





COMPETITOR SERIES®

C-10RM-HC



C-12RM-HC



To learn more Scan QR codes



C-10RM-HC



C-12RM-HC

HINGED GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass**
- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-10RM-HC	1	10	3	1/7+	2.1	115/60/1	1.58	Nema 5-15P	+33° F (-) +41° F	24.25 x 24 x 63.25	20.25 x 17.9 x 42.9	26 x 25 x 62.25	189 lbs.	209 lbs.
C-12RM-HC	1	12	4	1/7+	2.1	115/60/1	1.83	Nema 5-15P	+33° F (-) +41° F	24.25 x 24 x 76.25	20.25 x 17.91 x 55.9	26 x 25 x 77	227 lbs.	251 lbs.

*Total height includes 3" casters

**Glass panels are rated for installation at an altitude of <2,000 ft.




FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE





DIMENSIONAL DRAWINGS

C-10RM-HC



**C-10RM-HC /
C- 12RM-HC
SIDE VIEW**

C-12RM-HC



**C-10RM-HC /
C-12RM-HC
TOP VIEW**



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



COMPETITOR SERIES®

C-23RM-HC



C-49RM-HC



C-72RM-HC



To learn more Scan QR codes



C-23RM-HC



C-49RM-HC



C-72RM-HC

HINGED GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass**
- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-23RM-HC	1	23	4	1/7+	2.1	115/60/1	1.7	Nema 5-15P	+33° F (~) +41° F	27 x 31.75 x 81.4	22.2 x 27.3 x 60	29 x 34 x 83	293 lbs.	324 lbs.
C-49RM-HC	2	49	8	1/5	3.2	115/60/1	3.6	Nema 5-15P	+33° F (~) +41° F	54.4 x 31.75 x 81.4	49.7 x 27.3 x 60	57 x 34 x 83	485 lbs.	544 lbs.
C-72RM-HC	3	72	12	1/4+	4.2	115/60/1	5.8	Nema 5-15P	+33° F (~) +41° F	81.9 x 31.75 x 81.4	77.1 x 27.3 x 60	84 x 34 x 83	652 lbs.	758 lbs.

*Total height includes 3" casters

**Glass panels are rated for installation at an altitude of <2,000 ft.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-23RM-HC



C-49RM-HC



C-72RM-HC



SIDE VIEW (1,2,3) DOOR MODELS



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



LUXECHEF, FOOD & SERVICE

CONTACT US:

Customer Service:
+1 (786) 5847439

Sales Team:
+1 (786) 8602528

Email:
sales@lfsusa.store

www.lfsusa.store